## MONROE COUNTY SCHOOL DISTRICT CUMULATIVE TABULATION SHEET

BID/QUOTE NO. ITB 2019920 Painting

BIDS DUE / BID OPENING: 5/31/19 at 10:00 AM SECURING BIDS/QUOTES: Jessica Bailey, Buyer

| Vendor Name:                        | Weighted Total<br>(not reflective of actual<br>dollar amount to be spent) | Selection                               | Comments               |
|-------------------------------------|---|---|------------------------|
| Quick Painting Group, Corp          | LOWER – 199.95<br>MIDDLE – 199.95<br>UPPER – 199.95                       | LOWER – 1<br>MIDDLE – 1<br>UPPER – 1    | Low bid for all areas. |
| TMT Painting LLC                    | LOWER – 371.75<br>MIDDLE – 383.75<br>UPPER – 383.75                       | LOWER - 2<br>MIDDLE - 2<br>UPPER – 2    |                        |
| Mario's Painting and Services, Inc. | LOWER – NO BID<br>MIDDLE - 574.50<br>UPPER – 574.50                       | LOWER NO BID<br>MIDDLE - 3<br>UPPER - 3 |                        |

| Exterior Surfaces to be mainted / stained to   |      |       | WEIGHTED | WEIGHTED |
|--|------|-------|----------|----------|
| Exterior Surfaces to be painted/stained:   | UNIT | PRICE | FACTOR   | TOTAL    |
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | 0.43  | 5        | 2.15     |
| Wood trim to 12 inches per foot per coat   | LF   | 0.86  | 5        | 4.3      |
| Wood Surfaces per coat   | SF   | 0.4   | 10       |          |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | 0.5   | 10       |          |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | 0.55  | 10       | 5.5      |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | 0.6   | 10       | 6        |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | 0.5   | 10       | 5        |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | 0.55  | 10       | 5.5      |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | 0.6   | 10       | 6        |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | 0.5   | 20       | 10       |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | 0.55  | 20       | 11       |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | 0.6   | 20       | 12       |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | 0.45  | 5        | 2.25     |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | 0.45  | 5        | 2.25     |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | 0.35  | 10       | 3.5      |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE | 10       | 3.3      |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | 0.4   | 20       | 8        |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.4   | 20       | 8        |
| Interior and exterior metals:  | UNIT | PRICE | 20       | 8        |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | 0.45  | 5        | 2.25     |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.45  | 5        | 2.25     |
| Interior Masonry:  | UNIT | PRICE | 3        | 2.23     |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | 0.4   | 10       | 1        |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE | 10       | 4        |
| 6 feet and under in height   | SF   | 1.5   | 10       | 15       |
| 6 feet to 20 feet in height  | SF   | 1.5   | 10       | 15       |
| 20 feet to 40 feet   | SF   | 1.5   | 10       | 15       |
| Over 40 feet in height   | SF   | 1.5   | 10       |          |
| oint repairs:  | UNIT | PRICE | 10       | 15       |
| As recommended by paint manufacturer for their product   | LF   | 0.5   | 10       | -        |
| Caulking:  | UNIT | PRICE | 10       | 5        |
| ncluding existing removal with polyurethane caulk equal to Sonneborn                                 | LF   |       | 20       | 36       |
| Weighted Grand Total:  | LF   | 1.3   | 20       | 26       |

| Exterior Surfaces to be painted/stained:   | UNIT | PRICE | WEIGHTED | WEIGHTED<br>TOTAL |
|--|------|-------|----------|-------------------|
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | 0.43  | 5        | 2.15              |
| Wood trim to 12 inches per foot per coat   | LF   | 0.86  | 5        | 4.3               |
| Wood Surfaces per coat   | SF   | 0.4   | 10       | 4.5               |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | 0.5   | 10       | 5                 |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | 0.55  | 10       | 5.5               |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | 0.6   | 10       | 6                 |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | 0.5   | 10       | 5                 |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | 0.55  | 10       | 5.5               |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | 0.6   | 10       | 6                 |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | 0.5   | 20       | 10                |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | 0.55  | 20       | 11                |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | 0.6   | 20       | 12                |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | 0.45  | 5        | 2.25              |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | 0.45  | 5        | 2.25              |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | 0.35  | 10       | 3.5               |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE |          | 9.9               |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | 0.4   | 20       | 8                 |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.4   | 20       | 8                 |
| Interior and exterior metals:  | UNIT | PRICE |          |                   |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | 0.45  | 5        | 2.25              |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.45  | 5        | 2.25              |
| Interior Masonry:  | UNIT | PRICE |          | 2.23              |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | 0.4   | 10       | 4                 |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE |          |                   |
| 6 feet and under in height   | SF   | 1.5   | 10       | 15                |
| 6 feet to 20 feet in height  | SF   | 1.5   | 10       | 15                |
| 20 feet to 40 feet   | SF   | 1.5   | 10       | 15                |
| Over 40 feet in height   | SF   | 1.5   | 10       | 15                |
| Joint repairs:   | UNIT | PRICE | 42000    |                   |
| As recommended by paint manufacturer for their product   | LF   | 0.5   | 10       | 5                 |
| Caulking:  | UNIT | PRICE | 10       |                   |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | 1.3   | 20       | 26                |
| Weighted Grand Total:  |      |       | 20       | 199.95            |

|  |      |       | WEIGHTED | WEIGHTED |
|--|------|-------|----------|----------|
| Exterior Surfaces to be painted/stained:   | UNIT | PRICE | FACTOR   | TOTAL    |
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | 0.43  | 5        | 2.15     |
| Wood trim to 12 inches per foot per coat   | LF   | 0.86  | 5        | 4.3      |
| Wood Surfaces per coat   | SF   | 0.4   | 10       | 4        |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | 0.5   | 10       | 5        |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | 0.55  | 10       | 5.5      |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | 0.6   | 10       | 6        |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | 0.5   | 10       | 5        |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | 0.55  | 10       | 5.5      |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | 0.6   | 10       | 6        |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | 0.5   | 20       | 10       |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | 0.55  | 20       | 11       |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | 0.6   | 20       | 12       |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | 0.45  | 5        | 2.25     |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | 0.45  | 5        | 2.25     |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | 0.35  | 10       | 3.5      |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE |          |          |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | 0.4   | 20       | 8        |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.4   | 20       | 8        |
| Interior and exterior metals:  | UNIT | PRICE |          |          |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | 0.45  | 5        | 2.25     |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.45  | 5        | 2.25     |
| Interior Masonry:  | UNIT | PRICE |          |          |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | 0.4   | 10       | 4        |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE |          |          |
| 6 feet and under in height   | SF   | 1.5   | 10       | 15       |
| 6 feet to 20 feet in height  | SF   | 1.5   | 10       | 15       |
| 20 feet to 40 feet   | SF   | 1.5   | 10       | 15       |
| Over 40 feet in height   | SF   | 1.5   | 10       | 15       |
| Joint repairs:   | UNIT | PRICE |          |          |
| As recommended by paint manufacturer for their product   | LF   | 0.5   | 10       | 5        |
| Caulking:  | UNIT | PRICE |          |          |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | 1.3   | 20       | 26       |
| Weighted Grand Total:  |      |       |          | 199.95   |

|  |      |        | WEIGHTED | WEIGHTED |
|--|------|--------|----------|----------|
| Exterior Surfaces to be painted/stained:   | UNIT | PRICE  | FACTOR   | TOTAL    |
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | \$2.00 | 5        | \$10.00  |
| Wood trim to 12 inches per foot per coat   | LF   | \$2.75 | 5        | \$13.75  |
| Wood Surfaces per coat   | SF   | \$0.90 | 10       | \$9.00   |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | \$0.80 | 10       |          |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | \$0.90 | 10       | \$9.00   |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | \$1.00 | 10       | \$10.00  |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | \$0.70 | 10       | \$7.00   |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | \$0.80 | 10       |          |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | \$0.90 | 10       | \$9.00   |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | \$0.70 | 20       | \$14.00  |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | \$0.80 | 20       | \$16.00  |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | \$0.90 | 20       | \$18.00  |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | \$2.50 | 5        | \$12.50  |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | \$3.50 | 5        | \$17.50  |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | \$0.90 | 10       | \$9.00   |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE  |          |          |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | \$0.60 | 20       |          |
| Finish coat per coat PPG or Benjamin Moore   | SF   | \$0.70 | 20       | \$14.00  |
| Interior and exterior metals:  | UNIT | PRICE  |          |          |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | \$1.70 | 5        |          |
| Finish coat per coat PPG or Benjamin Moore   | SF   | \$1.90 | 5        | \$9.50   |
| Interior Masonry:  | UNIT | PRICE  |          |          |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | \$0.70 | 10       | \$7.00   |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE  |          |          |
| 6 feet and under in height   | SF   | \$2.00 | 10       |          |
| 6 feet to 20 feet in height  | SF   | \$2.25 | 10       | \$22.50  |
| 20 feet to 40 feet   | SF   | \$2.75 | 10       | \$27.50  |
| Over 40 feet in height   | SF   | \$3.00 | 10       | \$30.00  |
| Joint repairs:   | UNIT | PRICE  |          |          |
| As recommended by paint manufacturer for their product   | LF   | \$2.00 | 10       | \$20.00  |
| Caulking:  | UNIT | PRICE  |          |          |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | \$1.50 | 20       |          |
| Weighted Grand Total:  |      |        |          | \$371.75 |

## MIDDLE KEYS

|  |      |        | WEIGHTED | WEIGHTED |
|--|------|--------|----------|----------|
| Exterior Surfaces to be painted/stained:   | UNIT | PRICE  | FACTOR   | TOTAL    |
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | \$2.10 | 5        | \$10.50  |
| Wood trim to 12 inches per foot per coat   | LF   | \$2.85 | 5        | \$14.25  |
| Wood Surfaces per coat   | SF   | \$0.95 | 10       | \$9.50   |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | \$0.85 | 10       | \$8.50   |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | \$0.95 | 10       | \$9.50   |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | \$1.10 | 10       | \$11.00  |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | \$0.75 | 10       | \$7.50   |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | \$0.85 | 10       | \$8.50   |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | \$0.95 | 10       | \$9.50   |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | \$0.75 | 20       | \$15.00  |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | \$0.85 | 20       | \$17.00  |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | \$0.95 | 20       | \$19.00  |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | \$2.60 | 5        | \$13.00  |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | \$3.60 | 5        | \$18.00  |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | \$0.95 | 10       | \$9.50   |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE  |          |          |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | \$0.65 | 20       |          |
| Finish coat per coat PPG or Benjamin Moore   | SF   | \$0.75 | 20       | \$15.00  |
| Interior and exterior metals:  | UNIT | PRICE  |          |          |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | \$1.70 | 5        |          |
| Finish coat per coat PPG or Benjamin Moore   | SF   | \$1.90 | 5        | \$9.50   |
| Interior Masonry:  | UNIT | PRICE  |          |          |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | \$0.75 | 10       | \$7.50   |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE  |          |          |
| 6 feet and under in height   | SF   | \$2.00 | 10       | \$20.00  |
| 6 feet to 20 feet in height  | SF   | \$2.25 | 10       |          |
| 20 feet to 40 feet   | SF   | \$2.75 | 10       |          |
| Over 40 feet in height   | SF   | \$3.00 | 10       | \$30.00  |
| Joint repairs:   | UNIT | PRICE  |          |          |
| As recommended by paint manufacturer for their product   | LF   | \$2.00 | 10       | \$20.00  |
| Caulking:  | UNIT | PRICE  |          |          |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | \$1.50 | 20       |          |
| Weighted Grand Total:  |      |        |          | \$383.75 |

|  |      |        | WEIGHTED | WEIGHTED |
|--|------|--------|----------|----------|
| Exterior Surfaces to be painted/stained:   | UNIT | PRICE  | FACTOR   | TOTAL    |
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | \$2.10 | 5        | \$10.50  |
| Wood trim to 12 inches per foot per coat   | LF   | \$2.85 | 5        | \$14.25  |
| Wood Surfaces per coat   | SF   | \$0.95 | 10       | \$9.50   |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | \$0.85 | 10       | \$8.50   |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | \$0.95 | 10       | \$9.50   |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | \$1.10 | 10       |          |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | \$0.75 | 10       |          |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acrl Shleld for finish coats)        | SF   | \$0.85 | 10       |          |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | \$0.95 | 10       | \$9.50   |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | \$0.75 | 20       | \$15.00  |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | \$0.85 | 20       | \$17.00  |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | \$0.95 | 20       | \$19.00  |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | \$2.60 | 5        | \$13.00  |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | \$3.60 | 5        | \$18.00  |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | \$0.95 | 10       | \$9.50   |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE  |          |          |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | \$0.65 | 20       | \$13.00  |
| Finish coat per coat PPG or Benjamin Moore   | SF   | \$0.75 | 20       | \$15.00  |
| Interior and exterior metals:  | UNIT | PRICE  |          |          |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | \$1.70 | 5        | \$8.50   |
| Finish coat per coat PPG or Benjamin Moore   | SF   | \$1.90 | 5        | \$9.50   |
| Interior Masonry:  | UNIT | PRICE  |          |          |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | \$0.75 | 10       | \$7.50   |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE  | 15-00-00 |          |
| 6 feet and under in height   | SF   | \$2.00 | 10       | \$20.00  |
| 6 feet to 20 feet in height  | SF   | \$2.25 | 10       | \$22.50  |
| 20 feet to 40 feet   | SF   | \$2.75 | 10       | \$27.50  |
| Over 40 feet in height   | SF   | \$3.00 | 10       | \$30.00  |
| Joint repairs:   | UNIT | PRICE  |          |          |
| As recommended by paint manufacturer for their product   | LF   | \$2.00 | 10       | \$20.00  |
| Caulking:  | UNIT | PRICE  |          |          |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | \$1.50 | 20       | \$30.00  |
| Weighted Grand Total:  |      |        |          | \$383.75 |

## MIDDLE KEYS

| Exterior Surfaces to be painted/stained:   | UNIT | PRICE | WEIGHTED<br>FACTOR | WEIGHTED   |
|--|------|-------|--------------------|------------|
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | 1.25  | FACTOR 5           | 6.25       |
| Wood trim to 12 inches per foot per coat   | LF   | 1.25  | 5                  | 6.25       |
| Wood Surfaces per coat   | SF   | 0.8   | 10                 | 8          |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | 0.8   | 10                 | 8          |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | 0.85  | 10                 | 8.5        |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | 0.95  | 10                 | 9.5        |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | 0.8   | 10                 | 8          |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | 0.85  | 10                 | 8.5        |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | 0.95  | 10                 | 9.5        |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | 0.8   | 20                 | 16         |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | 0.85  | 20                 | 17         |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | 0.95  | 20                 | 19         |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | 1.15  | 5                  | 5.75       |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | 1.25  | 5                  | 6.25       |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | 0.65  | 10                 | 6.5        |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE | 10                 | 0.3        |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | 0.65  | 20                 | 13         |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.7   | 20                 | 14         |
| Interior and exterior metals:  | UNIT | PRICE | 20                 | <u>+</u> + |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | 1.15  | 5                  | 5.75       |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 1.25  | 5                  | 6.25       |
| Interior Masonry:  | UNIT | PRICE |                    | 0.25       |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | 0.75  | 10                 | 7.5        |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE | 10                 | 7.5        |
| 6 feet and under in height   | SF   | 2.5   | 10                 | 25         |
| 6 feet to 20 feet in height  | SF   | 3.5   | 10                 | 35         |
| 20 feet to 40 feet   | SF   | 6.5   | 10                 | 65         |
| Over 40 feet in height   | SF   | 7.5   | 10                 | 75         |
| Joint repairs:   | UNIT | PRICE | 10                 | ,5         |
| As recommended by paint manufacturer for their product   | LF   | 7     | 10                 | 70         |
| Caulking:  | UNIT | PRICE |                    | , 0        |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | 5.75  | 20                 | 115        |
| Weighted Grand Total:  |      |       |                    | 574.5      |

## **UPPER KEYS**

|  |      |       | WEIGHTED | WEIGHTED |
|--|------|-------|----------|----------|
| Exterior Surfaces to be painted/stained:   | UNIT | PRICE | FACTOR   | TOTAL    |
| Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat                     | LF   | 1.25  | 5        | 6.25     |
| Wood trim to 12 inches per foot per coat   | LF   | 1.25  | 5        | 6.25     |
| Wood Surfaces per coat   | SF   | 0.8   | 10       | 8        |
| Masonry walls per coat under 20' (Texcote Coolwall)  | SF   | 0.8   | 10       | 8        |
| Masonry walls per coat 20' to 40' (Texcote Coolwall)   | SF   | 0.85  | 10       | 8.5      |
| Masonry walls per coat over 40' (Texcote Coolwall)   | SF   | 0.95  | 10       | 9.5      |
| Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)         | SF   | 0.8   | 10       | 8        |
| Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)        | SF   | 0.85  | 10       | 8.5      |
| Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)          | SF   | 0.95  | 10       | 9.5      |
| Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)                   | SF   | 0.8   | 20       | 16       |
| Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)                     | SF   | 0.85  | 20       | 17       |
| Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)                    | SF   | 0.95  | 20       | 19       |
| Metals to be primed as needed with Benjamin Moore or PPG products                                    | SF   | 1.15  | 5        | 5.75     |
| Metals to receive finish per coat with PPG or Benjamin Moore products per coat                       | SF   | 1.25  | 5        | 6.25     |
| Concrete walls per coat 8 feet and under with approved stain product                                 | SF   | 0.65  | 10       | 6.5      |
| Interior Drywall surfaces to be painted:   | UNIT | PRICE |          |          |
| Prime coat or sealer per coat PPG or Benjamin Moore  | SF   | 0.65  | 20       | 13       |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 0.7   | 20       | 14       |
| Interior and exterior metals:  | UNIT | PRICE |          |          |
| Prime coat if needed per coat PPG or Benjamin Moore  | SF   | 1.15  | 5        | 5.75     |
| Finish coat per coat PPG or Benjamin Moore   | SF   | 1.25  | 5        | 6.25     |
| Interior Masonry:  | UNIT | PRICE |          |          |
| Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price | SF   | 0.75  | 10       | 7.5      |
| Sandblasting or alternate method of paint removal to bare masonry/concrete surface:                  | UNIT | PRICE | 1        |          |
| 6 feet and under in height   | SF   | 2.5   | 10       | 25       |
| 6 feet to 20 feet in height  | SF   | 3.5   | 10       | 35       |
| 20 feet to 40 feet   | SF   | 6.5   | 10       | 65       |
| Over 40 feet in height   | SF   | 7.5   | 10       | 75       |
| Joint repairs:   | UNIT | PRICE |          |          |
| As recommended by paint manufacturer for their product   | LF   | 7     | 10       | 70       |
| Caulking:  | UNIT | PRICE |          |          |
| Including existing removal with polyurethane caulk equal to Sonneborn                                | LF   | 5.75  | 20       | 115      |
| Weighted Grand Total:  |      |       |          | 574.5    |